



**FIRE RATING: 45/60/90 MINUTES**


FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW

 UL CLASSIFIED & LABELED


3/4 HOUR FIRE-RATED WHEN GLAZED WITH 1/4" WIRE GLASS  
 1 1/2" HOUR FIRE-RATED WHEN GLAZED WITH 3/16" CERAMIC GLASS



7650 TDH 1/1




7650 TDH 2/2V




7650 TDH 4/4

7650 TDH 4/4



7650 TDH 4/4  
- LT - 4




7650 TDH 4/4  
- UT - 4

WINDOWS WITH A WIDTH OVER 36" WILL RECEIVE  
 2 HANDLES AND 2 SWEEP LOCKS

WINDOWS WITH A WIDTH OF 24"-36" WILL  
 RECEIVE 2 HANDLES AND 1 SWEEP LOCK





FIRE RATING: 45/60/90 MINUTES

FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW





**FIRE RATING: 45/60/90 MINUTES**

FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW




FIRE RATING: 45/60/90 MINUTES

FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW



**F** TYPICAL VERTICAL MUNTIN



**G** TYPICAL HORIZONTAL MUNTIN



**H** TYPICAL MULLION

**FIRE RATING: 45/60/90 MINUTES**

FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW




**I** TYPICAL STACKING MULLION  
W/ TRANSOM BELOW


**J** TYPICAL STACKING MULLION  
W/ TRANSOM ABOVE

FIRE RATING: 45/60/90 MINUTES


FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW




**K&L** TYPICAL TRANSOM HEAD & SILL



**M&N** TYPICAL TRANSOM JAMB



**1** TYPICAL JAMB W/ 1/4" GLASS



**2** TYPICAL JAMB W/ 3/4" GLASS