


FIRE RATING: 45/60/90 MINUTES
FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW



UL CLASSIFIED & LABELED

3/4 HOUR FIRE-RATED WHEN GLAZED WITH 1/4" WIRE GLASS


1 1/2" HOUR FIRE-RATED WHEN GLAZED WITH 3/16" CERAMIC GLASS




7650 TDH 1/1





7650 TDH 2/2V



7650 TDH 4/4



7650 TDH 4/4



 7650 TDH 4/4
- LT - 4

 7650 TDH 4/4
- UT - 4

 WINDOWS WITH A WIDTH OVER 36" WILL RECEIVE
2 HANDLES AND 2 SWEEP LOCKS

 WINDOWS WITH A WIDTH OF 24"-36" WILL
RECEIVE 2 HANDLES AND 1 SWEEP LOCK





FIRE RATING: 45/60/90 MINUTES

FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW





FIRE RATING: 45/60/90 MINUTES

FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW




FIRE RATING: 45/60/90 MINUTES

FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW



F TYPICAL VERTICAL MUNTIN



G TYPICAL HORIZONTAL MUNTIN



H TYPICAL MULLION

FIRE RATING: 45/60/90 MINUTES

FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW




I **TYPICAL STACKING MULLION
W/ TRANSOM BELOW**


J **TYPICAL STACKING MULLION
W/ TRANSOM ABOVE**

FIRE RATING: 45/60/90 MINUTES


FIRE-RATED SELF-CLOSING DOUBLE-HUNG WINDOW




K&L TYPICAL TRANSOM
HEAD & SILL



M&N TYPICAL TRANSOM
JAMB



1 TYPICAL JAMB
W/ 1/4" GLASS



2 TYPICAL JAMB
W/ 3/4" GLASS