

FIRE RATING: 45/60/90 MINUTES


FIRE-RATED SELF-CLOSING SINGLE-HUNG WINDOW




UL CLASSIFIED & LABELED

3/4 HOUR FIRE-RATED WHEN GLAZED WITH 1/4" WIRE GLASS


1 1/2" HOUR FIRE-RATED WHEN GLAZED WITH 3/16" CERAMIC GLASS




7650 TSH 1/1




7650 TSH 2/2V




7650 TSH 4/4



7650 TSH 9/9



7650 TSH 6/6
-LT- 6




7650 TSH 9/9
-UT- 6

WINDOWS WITH A WIDTH OVER 36" WILL
RECEIVE 2 HANDLES AND 2 SWEEP LOCKS

WINDOWS WITH A WIDTH OF 24"-36" WILL
RECEIVE 2 HANDLES AND 1 SWEEP LOCK


FIRE RATING: 45/60/90 MINUTES

FIRE-RATED SELF-CLOSING SINGLE-HUNG WINDOW




FIRE RATING: 45/60/90 MINUTES

FIRE-RATED SELF-CLOSING SINGLE-HUNG WINDOW




A&B

**TYPICAL
FIXED JAMB**




C&D

**TYPICAL
OPERABLE JAMB**



E

**TYPICAL
HEAD**




F


**TYPICAL
MEETING RAIL**

FIRE RATING: 45/60/90 MINUTES


FIRE-RATED SELF-CLOSING SINGLE-HUNG WINDOW




G TYPICAL SILL



H&I TYPICAL TRANSOM JAMB




J TYPICAL TRANSOM HEAD




K TYPICAL TRANSOM SILL

FIRE RATING: 45/60/90 MINUTES


FIRE-RATED SELF-CLOSING SINGLE-HUNG WINDOW



L TYPICAL JOINING MULLION





M TYPICAL VERTICAL MUNTIN



N TYPICAL HORIZONTAL MUNTIN

FIRE RATING: 45/60/90 MINUTES

FIRE-RATED SELF-CLOSING SINGLE-HUNG WINDOW




P TYPICAL STACKING MULLION
W/ TRANSOM ABOVE

Q TYPICAL STACKING MULLION
W/ TRANSOM BELOW


FIRE RATING: 45/60/90 MINUTES

FIRE-RATED SELF-CLOSING SINGLE-HUNG WINDOW



1

**TYPICAL FIXED JAMB
W/ 1/4" GLASS**



2

**TYPICAL FIXED JAMB
W/ 3/4" GLASS**