






### INSWING DOOR




5500\_11\_ID




5500\_21\_FR\_ID



5500\_21\_DB\_ID




5500\_22\_ID\_FX




5500\_22\_FR\_IC\_FX

\* LEVER HANDLE ON PRIMARY VENT ONLY  
 \* PUSH/PULL ARMS TO BE SELECTED BY OTHERS




5500\_21\_ID\_FX



5500\_22\_DB\_ID\_FX


## INSWING DOOR

1. Snap in steel glazing bead (other options available)
2. Snap fastener
3. Extruded EPDM wedge gasket (by OWM)
4. Glass and glazing (by others)
5. Silicone cap bead (by others)
6. Glazing tape
7. Weather stripping
8. Steel flex hinge
9. Stainless steel flex handle



INSWING DOOR


INTERIOR



EXTERIOR

**A&B** TYPICAL HINGED JAMB


INTERIOR



EXTERIOR

**C** TYPICAL LOCKING JAMB


EXTERIOR



**D** TYPICAL HEAD


EXTERIOR

INTERIOR




**E** TYPICAL KICKPLATE


INSWING DOOR



**F** TYPICAL FRENCH MEETING RAIL




**E1** TYPICAL COMMERCIAL KICKPLATE AND SADDLE




**G** TYPICAL DOUBLE MEETING RAIL




INSWING DOOR




**H** TYPICAL VERTICAL MUNTIN



**J** TYPICAL HORIZONTAL MUNTIN




**K&L** TYPICAL FIXED HEAD & SILL




**M&N** TYPICAL FIXED JAMB


INSWING DOOR




**P** TYPICAL STACKING TRANSOM



**S** TYPICAL JOINING MULLION



**T** TYPICAL STACKING MULLION




**R** TYPICAL JOINING SIDELITE




INSWING DOOR


OPTIONAL FLANGE FRAME




**1** TYPICAL JAMB INTERIOR FLANGE



**2** TYPICAL JAMB EXTERIOR FLANGE



**3** TYPICAL FIXED INTERIOR FLANGE



**4** TYPICAL FIXED EXTERIOR FLANGE