



## Typical Exterior Elevations

INSWING TILT & TURN / FIXED


Scale: Not To Scale




680-11-TT



680-21-FR-TT  
\*SECONDARY UNABLE TO TILT



680-22-TT-FX



680-22-FR-TT-FX  
\*SECONDARY UNABLE TO TILT



## Typical Details

INSWING TILT & TURN / FIXED

Scale: Half Scale



PAGE 2 OF 5

## KEY (TYPICAL)

1. SNAP IN ALUMINUM GLAZING BEAD
2. WEDGE GASKET
3. 1" GLASS AND GLAZING (BY OTHERS)
4. WEATHER STRIPPING
5. METRO TILT & TURN HINGE

\*TILT & TURN HARDWARE IS CONCEALED

6. METRO HANDLE





28 Canal Street, Ellenville, NY 12428

Phone (845) 647-1900


## Typical Details

INSWING TILT & TURN / FIXED


Scale: Half Scale



**A&B** TYPICAL HINGED JAMB



**C** TYPICAL LOCKING JAMB



**D** TYPICAL HEAD


**E** TYPICAL SILL




## Typical Details

INSWING TILT & TURN / FIXED


Scale: Half Scale



**F** TYPICAL FRENCH MEETING RAIL



**G** TYPICAL VERTICAL MUNTIN





**H** TYPICAL HORIZONTAL MUNTIN



## Typical Details



INSWING TILT & TURN / FIXED

Scale: Half Scale



**J&K** TYPICAL FIXED HEAD & SILL

**L&M** TYPICAL FIXED JAMB



**N** TYPICAL STACKING MULLION

**P** TYPICAL JOINING MULLION

