



## Typical Exterior Elevations

LIFT AND SLIDE  
Scale: Not To Scale


Thermally Broken  
Cold Rolled Steel  
Up To 1" Insulated Glass




6541-FX-LS-FX



6521-FX-LS



6531-FX-LS-FX



6521-LS



## Typical Details


LIFT AND SLIDE  
Scale: Not To Scale

Thermally Broken  
Cold Rolled Steel  
Up To 1" Insulated Glass

PAGE 2 OF 9

## KEY (TYPICAL)



1. SNAP IN STEEL GLAZING BEAD
2. SNAP FASTENER
3. WEDGE GASKET
4. GLASS AND GLAZING (BY OTHERS)
5. SILICONE CAP BEAD (BY OTHERS)
6. GLAZING TAPE (BY OTHERS)
7. STAINLESS STEEL FLEX HANDLE
8. THERMAL BREAK



## Typical Details


**LIFT AND SLIDE**  
Scale: Not To Scale

Thermally Broken  
Cold Rolled Steel  
Up To 1" Insulated Glass



**A** TYPICAL JAMB  
FIXED

**B** TYPICAL CROSSING RAIL



**D** TYPICAL HEAD  
INTERIOR SIDE OPERABLE




## Typical Details

**LIFT AND SLIDE**  
Scale: Not To Scale

Thermally Broken  
Cold Rolled Steel  
Up To 1" Insulated Glass

**PAGE 4 OF 9**



**F** TYPICAL JAMB  
EXTERIOR SIDE OPERABLE

**C** TYPICAL JAMB  
INTERIOR SIDE OPERABLE




## Typical Details


LIFT AND SLIDE  
Scale: Not To Scale

Thermally Broken  
Cold Rolled Steel  
Up To 1" Insulated Glass

PAGE 5 OF 9



**G** TYPICAL HEAD  
BOTH OPERABLE




**H** TYPICAL SILL  
BOTH OPERABLE




## Typical Details

**LIFT AND SLIDE**  
Scale: Not To Scale

Thermally Broken  
Cold Rolled Steel  
Up To 1" Insulated Glass



**N** TYPICAL HEAD  
FIXED




**L** TYPICAL MEETING RAIL  
ONE OPERABLE




## Typical Details

**LIFT AND SLIDE**  
Scale: Not To Scale

Thermally Broken  
Cold Rolled Steel  
Up To 1" Insulated Glass



**J** TYPICAL MEETING RAIL  
ONE OPERABLE




**K** TYPICAL JAMB  
FIXED



## Typical Details

**LIFT AND SLIDE**  
Scale: Not To Scale

Thermally Broken  
Cold Rolled Steel  
Up To 1" Insulated Glass



**E** TYPICAL SILL  
INTERIOR SIDE OPERABLE

**M** TYPICAL CROSSING RAIL  
EXTERIOR SIDE FIXED






## Typical Details


**LIFT AND SLIDE**  
Scale: Not To Scale

Thermally Broken  
Cold Rolled Steel  
Up To 1" Insulated Glass

### OPTIONAL PROFILES



**1** TYPICAL JAMB



**2** TYPICAL CROSSING RAIL

